

FD30 DOOR OPTIONS

VICAIMA RANGE

MD55 EMBOSSED COTTAGE STYLE

- Suitable for use with Classic FD30 Single and Double Pocket Door Systems.
- Approved Handle: Surface mounted or bolt through pull handles.** Firenze Pull Handle Back-to-Back
- Max Size as per Figure B01 and B02 in KIWA Field of Application PAR/10057/01

*please double check with retail outlet for size availability before purchasing ECLISSE System

**See field of application report for details




ESSENTIAL FLUSH VERTICAL

- Suitable for use with Classic FD30 Single Pocket Door Systems ONLY.
- Heritage Oak; Oak; Ash; Walnut; Sapele; Steamed Beech; Maple; Eucalyptus; Koto
- Sizes*: See [product](#) on Vicaima website
- Approved Handle: Surface mounted or bolt through pull handles.** Firenze Pull Handle Back-to-Back
- Max Size as per Figure B01 in KIWA Field of Application PAR/10057/01

*please double check with retail outlet for size availability before purchasing ECLISSE System

**See field of application report for details



ESSENTIAL FLUSH HORIZONTAL

- Suitable for use with Classic FD30 Single Pocket Door Systems ONLY.
- Heritage Oak; Oak; Ash; Walnut; Sapele; Steamed Beech; Maple
- Sizes*: See [product](#) on Vicaima website
- Approved Handle: Surface mounted or bolt through pull handles.** Firenze Pull Handle Back-to-Back
- Max Size as per Figure B01 in KIWA Field of Application PAR/10057/01

*please double check with retail outlet for size availability before purchasing ECLISSE System

**See field of application report for details



ESSENTIAL PLAIN COLOURS

- Suitable for use with Classic FD30 Single Pocket Door Systems ONLY.
- Plain Colours
- Sizes*: See [product](#) on Vicaima website
- Approved Handle: Surface mounted or bolt through pull handles.** Firenze Pull Handle Back-to-Back
- Max Size as per Figure B01 in KIWA Field of Application PAR/10057/01

*please double check with retail outlet for size availability before purchasing ECLISSE System

**See field of application report for details



FD30 DOOR OPTIONS

VICAIMA RANGE

VICAIMA ENTIRE RANGE OF FD30 44MM FLUSH DOORS

INCLUDING WITH GLAZING AS PER REVISION

- Suitable for use with Classic FD30 Single Pocket Door Systems.
- Vicaima entire range of FD30 44mm flush doors including with glazing as per Revision.
- Interior Door Selector 2025
- Approved Handle: Firenze Pull Handle Back-to-Back
- *Glazed door options are available. Please check specific door model to confirm whether glazing is permitted. Refer to KIWA Field of Application PAR/10057/01 Rev G for permitted glazing types and sizes.
- Max Size: 926x2040mm

*please double check with retail outlet for size availability before purchasing ECLISSE System

**See field of application report for details



FD30 DOOR OPTIONS

JELD-WEN RANGE

ARLINGTON 6 PANEL

- Suitable for use with Classic FD30 Single and Double Pocket Door Systems.
- White Primed
- Sizes*: See [product](#) on JELD-WEN website
- Retail Outlets: Many online door retailers
- Approved Handle: ECLISSE Essential Round [Satin/Black](#) or [Square](#) Flush Pull. Firenze Pull Handle Back-to-Back. Surface mounted or bolt through pull handles.**
- Max Size: 926x2040mm

*please double check with retail outlet for size availability before purchasing ECLISSE System

**See field of application report for details



ATHERTON 4 PANEL

- Suitable for use with Classic FD30 Single and Double Pocket Door Systems.
- White Primed
- Sizes*: See [product](#) on JELD-WEN website
- Retail Outlets: Many online door retailers. Howdens ref "Donnington"
- Approved Handle: ECLISSE Essential Round [Satin/Black](#) or [Square](#) Flush Pull. Firenze Pull Handle Back-to-Back. Surface mounted or bolt through pull handles.**
- Max Size: 926x2040mm

*please double check with retail outlet for size availability before purchasing ECLISSE System

**See field of application report for details



BOSTONIAN 6 PANEL

- Suitable for use with Classic FD30 Single and Double Pocket Door Systems.
- White Primed
- Sizes*: See [product](#) on JELD-WEN website
- Retail Outlets: Many online door retailers. Howdens ref "Colonial"
- Approved Handle: ECLISSE Essential Round [Satin/Black](#) or [Square](#) Flush Pull. Firenze Pull Handle Back-to-Back. Surface mounted or bolt through pull handles.**
- Max Size: 926x2040mm

*please double check with retail outlet for size availability before purchasing ECLISSE System

**See field of application report for details



LINEA PANEL

- Suitable for use with Classic FD30 Single and Double Pocket Door Systems.
- White Primed
- Sizes*: See [product](#) on JELD-WEN website
- Retail Outlets: Many online door retailers. Howdens ref "Metro"
- Approved Handle: ECLISSE Essential Round [Satin/Black](#) or [Square](#) Flush Pull. Firenze Pull Handle Back-to-Back. Surface mounted or bolt through pull handles.**
- Max Size: 926x2040mm

*please double check with retail outlet for size availability before purchasing ECLISSE System

**See field of application report for details



FD30 DOOR OPTIONS

JELD-WEN RANGE

OAKFIELD 4 PANEL

- Suitable for use with Classic FD30 Single and Double Pocket Door Systems.
- White Primed
- Sizes*: See [product](#) on JELD-WEN website
- Retail Outlets: Many online door retailers. Howdens ref "Thruyton"
- Approved Handle: ECLISSE Essential Round [Satin/Black](#) or [Square](#) Flush Pull. Firenze Pull Handle Back-to-Back. Surface mounted or bolt through pull handles.**
- Max Size: 926x2040mm

*please double check with retail outlet for size availability before purchasing ECLISSE System

**See field of application report for details



NEWARK COTTAGE

- Suitable for use with Classic FD30 Single and Double Pocket Door Systems.
- White Primed
- Sizes*: See [product](#) on JELD-WEN website
- Retail Outlets: Many online door retailers.
- Approved Handle: ECLISSE Essential Round [Satin/Black](#) or [Square](#) Flush Pull. Firenze Pull Handle Back-to-Back. Surface mounted or bolt through pull handles.**
- Max Size: 926x2040mm

*please double check with retail outlet for size availability before purchasing ECLISSE System

**See field of application report for details



OREGON COTTAGE HORIZONTAL

- Suitable for use with Classic FD30 Single and Double Pocket Door Systems.
- White Oak
- Sizes*: See [product](#) on JELD-WEN website
- Retail Outlets: Many online door retailers.
- Approved Handle: ECLISSE Essential Round [Satin/Black](#) or [Square](#) Flush Pull. Firenze Pull Handle Back-to-Back. Surface mounted or bolt through pull handles.**
- Max Size: 926x2040mm

*please double check with retail outlet for size availability before purchasing ECLISSE System

**See field of application report for details



OREGON COTTAGE VERTICAL

- Suitable for use with Classic FD30 Single and Double Pocket Door Systems.
- White Oak
- Sizes*: See [product](#) on JELD-WEN website
- Retail Outlets: Many online door retailers.
- Approved Handle: ECLISSE Essential Round [Satin/Black](#) or [Square](#) Flush Pull. Firenze Pull Handle Back-to-Back. Surface mounted or bolt through pull handles.**
- Max Size: 926x2040mm

*please double check with retail outlet for size availability before purchasing ECLISSE System

**See field of application report for details



FD30 DOOR OPTIONS

JELD-WEN RANGE

OREGON 4 PANEL

- Suitable for use with Classic FD30 Single and Double Pocket Door Systems.
- White Oak
- Sizes*: See [product](#) on JELD-WEN website
- Retail Outlets: Many online door retailers.
- Approved Handle: ECLISSE Essential Round [Satin/Black](#) or [Square](#) Flush Pull. Firenze Pull Handle Back-to-Back. Surface mounted or bolt through pull handles.**
- Max Size: 926x2040mm

*please double check with retail outlet for size availability before purchasing ECLISSE System

**See field of application report for details



PAINT GRADE PREMIUM

- Suitable for use with Classic FD30 Single and Double Pocket Door Systems.
- White Primed
- Sizes*: See [product](#) on JELD-WEN website
- Retail Outlets: Many online door retailers. Howdens ref "Spay White"
- Approved Handle: Surface mounted or bolt through pull handles.** Firenze Pull Handle Back-to-Back.
- Max Size: 926x2040mm

*please double check with retail outlet for size availability before purchasing ECLISSE System

**See field of application report for details



FD30 DOOR OPTIONS


XL JOINERY RANGE

PALERMO ESSENTIAL

- Suitable for use with Classic FD30 Single and Double Pocket Door Systems.
- Prefinished Oak or Unfinished (Range of colours are available)
- Sizes*: See [product](#) on XL Joinery website
- Retail Outlets: Many online door retailers
- Approved Handle: ECLISSE Essential Round [Satin/Black](#) or [Square](#) Flush Pull. Firenze Pull Handle Back-to-Back. Surface mounted or bolt through pull handles.**
- Max Size as per Figure B01 and B02 in KIWA Field of Application PAR/10057/01

*please double check with retail outlet for size availability before purchasing ECLISSE System

**See field of application report for details



PALERMO ORIGINAL

- Suitable for use with Classic FD30 Single and Double Pocket Door Systems.
- Prefinished Oak or Unfinished Oak (Range of colours are available)
- Sizes*: See [product](#) on XL Joinery website
- Retail Outlets: Many online door retailers.
- Approved Handle: ECLISSE Essential Round [Satin/Black](#) or [Square](#) Flush Pull. Firenze Pull Handle Back-to-Back. Surface mounted or bolt through pull handles.**
- Max Size as per Figure B01 and B02 in KIWA Field of Application PAR/10057/01

*please double check with retail outlet for size availability before purchasing ECLISSE System

**See field of application report for details



PALERMO LAMINATE

- Suitable for use with Classic FD30 Single and Double Pocket Door Systems.
- Prefinished White Grey and Prefinished Umber Grey
- Sizes*: See [product](#) on XL Joinery website
- Retail Outlets: Many online door retailers.
- Approved Handle: ECLISSE Essential Round [Satin/Black](#) or [Square](#) Flush Pull. Firenze Pull Handle Back-to-Back. Surface mounted or bolt through pull handles.**
- Max Size as per Figure B01 and B02 in KIWA Field of Application PAR/10057/01

*please double check with retail outlet for size availability before purchasing ECLISSE System

**See field of application report for details



PALERMO WHITE PRIMED

- Suitable for use with Classic FD30 Single and Double Pocket Door Systems.
- White Primed (Range of colours are available)
- Sizes*: See [product](#) on XL Joinery website
- Retail Outlets: Many online door retailers.
- Approved Handle: ECLISSE Essential Round [Satin/Black](#) or [Square](#) Flush Pull. Firenze Pull Handle Back-to-Back. Surface mounted or bolt through pull handles.**
- Max Size as per Figure B01 and B02 in KIWA Field of Application PAR/10057/01

*please double check with retail outlet for size availability before purchasing ECLISSE System

**See field of application report for details



FD30 DOOR OPTIONS

XL JOINERY RANGE

SALERNO

- Suitable for use with Classic FD30 Single and Double Pocket Door Systems.
- Prefinished Oak or Unfinished Oak (Range of colours are available)
- Sizes*: See [product](#) on XL Joinery website
- Retail Outlets: Many online door retailers
- Approved Handle: ECLISSE Essential Round [Satin/Black](#) or [Square](#) Flush Pull. Firenze Pull Handle Back-to-Back. Surface mounted or bolt through pull handles.**
- Max Size as per Figure B01 and B02 in KIWA Field of Application PAR/10057/01

*please double check with retail outlet for size availability before purchasing ECLISSE System

**See field of application report for details



SALERNO LAMINATE

- Suitable for use with Classic FD30 Single and Double Pocket Door Systems.
- Prefinished White Grey and Prefinished Umber Grey
- Sizes*: See [product](#) on XL Joinery website
- Retail Outlets: Many online door retailers.
- Approved Handle: ECLISSE Essential Round [Satin/Black](#) or [Square](#) Flush Pull. Firenze Pull Handle Back-to-Back. Surface mounted or bolt through pull handles.**
- Max Size as per Figure B01 and B02 in KIWA Field of Application PAR/10057/01

*please double check with retail outlet for size availability before purchasing ECLISSE System

**See field of application report for details



SALERNO WHITE PRIMED

- Suitable for use with Classic FD30 Single and Double Pocket Door Systems.
- White Primed (Range of colours are available)
- Sizes*: See [product](#) on XL Joinery website
- Retail Outlets: Many online door retailers.
- Approved Handle: ECLISSE Essential Round [Satin/Black](#) or [Square](#) Flush Pull. Firenze Pull Handle Back-to-Back. Surface mounted or bolt through pull handles.**
- Max Size as per Figure B01 and B02 in KIWA Field of Application PAR/10057/01

*please double check with retail outlet for size availability before purchasing ECLISSE System

**See field of application report for details



RAVENA

- Suitable for use with Classic FD30 Single and Double Pocket Door Systems.
- Unfinished Oak (Range of colours are available)
- Sizes*: See [product](#) on XL Joinery website
- Retail Outlets: Many online door retailers.
- Approved Handle: ECLISSE Essential Round [Satin/Black](#) or [Square](#) Flush Pull. Firenze Pull Handle Back-to-Back. Surface mounted or bolt through pull handles.**
- Max Size as per Figure B01 and B02 in KIWA Field of Application PAR/10057/01

*please double check with retail outlet for size availability before purchasing ECLISSE System

**See field of application report for details



FD30 DOOR OPTIONS

XL JOINERY RANGE

RAVENNA LAMINATE

- Suitable for use with Classic FD30 Single and Double Pocket Door Systems.
- Prefinished White Grey and Prefinished Umber Grey
- Sizes*: See [product](#) on XL Joinery website
- Retail Outlets: Many online door retailers
- Approved Handle: ECLISSE Essential Round [Satin/Black](#) or [Square](#) Flush Pull. Firenze Pull Handle Back-to-Back. Surface mounted or bolt through pull handles.**
- Max Size as per Figure B01 and B02 in KIWA Field of Application PAR/10057/01

*please double check with retail outlet for size availability before purchasing ECLISSE System

**See field of application report for details



FORLI

- Suitable for use with Classic FD30 Single and Double Pocket Door Systems.
- Prefinished Oak
- Sizes*: See [product](#) on XL Joinery website
- Retail Outlets: Many online door retailers
- Approved Handle: ECLISSE Essential Round [Satin/Black](#) or [Square](#) Flush Pull. Firenze Pull Handle Back-to-Back. Surface mounted or bolt through pull handles.**
- Max Size as per Figure B01 and B02 in KIWA Field of Application PAR/10057/01

*please double check with retail outlet for size availability before purchasing ECLISSE System

**See field of application report for details



FORLI LAMINATE

- Suitable for use with Classic FD30 Single and Double Pocket Door Systems.
- Prefinished White Grey and Prefinished Umber Grey and Prefinished White
- Sizes*: See [product](#) on XL Joinery website
- Retail Outlets: Many online door retailers
- Approved Handle: ECLISSE Essential Round [Satin/Black](#) or [Square](#) Flush Pull. Firenze Pull Handle Back-to-Back. Surface mounted or bolt through pull handles.**
- Max Size as per Figure B01 and B02 in KIWA Field of Application PAR/10057/01

*please double check with retail outlet for size availability before purchasing ECLISSE System

**See field of application report for details



FD30 DOOR OPTIONS

CLIMADOOR DOORS RANGE

MEXICAN OAK

- Suitable for use with Classic FD30 Single Pocket Door Systems.
- White Oak
- Sizes*: See [product](#) on Vibrant website
- Retail Outlets: www.climadoor.co.uk
- Approved Handle: Firenze Pull Handle Back-to-Back. Surface mounted or bolt through pull handles.**
- Max size: 926x2040mm

*please double check with retail outlet for size availability before purchasing ECLISSE System

**See field of application report for details



MEXICAN OAK PREFINISHED

- Suitable for use with Classic FD30 Single Pocket Door Systems.
- White Oak
- Sizes*: See [product](#) on Vibrant website
- Retail Outlets: www.climadoor.co.uk
- Approved Handle: [Firenze Pull Handle Back-to-Back](#). Surface mounted or bolt through pull handles.**
- Max size: 926x2040mm

*please double check with retail outlet for size availability before purchasing ECLISSE System

**See field of application report for details




ISEO OAK SOLID CORE PREFINISHED

- Suitable for use with Classic FD30 Single Pocket Door Systems.
- Oak
- Sizes*: See [product](#) on Climadoor website
- Retail Outlets: www.climadoor.co.uk
- Approved Handle: [Firenze Pull Handle Back-to-Back](#). Surface mounted or bolt through pull handles.**
- Max size: 926x2040mm

*please double check with retail outlet for size availability before purchasing ECLISSE System

**See field of application report for details



WHITE ISEO

- Suitable for use with Classic FD30 Single Pocket Door Systems.
- White
- Sizes*: See [product](#) on Climadoor website
- Retail Outlets: www.climadoor.co.uk
- Approved Handle: [Firenze Pull Handle Back-to-Back](#). Surface mounted or bolt through pull handles.**
- Max size: 926x2040mm

*please double check with retail outlet for size availability before purchasing ECLISSE System

**See field of application report for details



FD30 DOOR OPTIONS

CLIMADOOR DOORS RANGE

SUFFOLK WHITE PREFINISHED

- Suitable for use with Classic FD30 Single Pocket Door Systems.
- White
- Sizes*: See [product](#) on Climadoor website
- Retail Outlets: www.climadoor.co.uk
- Approved Handle: [Firenze Pull Handle Back-to-Back](#). Surface mounted or bolt through pull handles.**
- Max size: 926x2040mm

*please double check with retail outlet for size availability before purchasing ECLISSE System

**See field of application report for details



ISEO BLACK OAK - PREFINISHED FIRE DOOR

- Suitable for use with Classic FD30 Single & Double Pocket Door Systems.
- Black
- Sizes*: See [product](#) on Climadoor website
- Retail Outlets: www.climadoor.co.uk
- Approved Handle: [Firenze Pull Handle Back-to-Back](#)
- Max size: 926x2040mm

*please double check with retail outlet for size availability before purchasing ECLISSE System

**See field of application report for details



WHITE FLUSH PREFINISHED FIRE DOOR

- Suitable for use with Classic FD30 Single & Double Pocket Door Systems.
- White
- Sizes*: See [product](#) on Climadoor website
- Retail Outlets: www.climadoor.co.uk
- Approved Handle: [Firenze Pull Handle Back-to-Back](#)
- Max size: 926x2040mm

*please double check with retail outlet for size availability before purchasing ECLISSE System

**See field of application report for details



FLUSH OAK PREFINISHED SOLID CORE FIRE DOOR

- Suitable for use with Classic FD30 Single & Double Pocket Door Systems.
- Oak
- Sizes*: See [product](#) on Climadoor website
- Retail Outlets: www.climadoor.co.uk
- Approved Handle: [Firenze Pull Handle Back-to-Back](#)
- Max size: 926x2040mm

*please double check with retail outlet for size availability before purchasing ECLISSE System

**See field of application report for details



FD30 DOOR OPTIONS

CLIMADOOR DOORS RANGE

MODERN 7 PANEL OAK - PREFINISHED FIRE DOORS

- Suitable for use with Classic FD30 Single & Double Pocket Door Systems.
- Oak
- Sizes*: See [product](#) on Climadoor website
- Retail Outlets: www.climadoor.co.uk
- Approved Handle: [Firenze Pull Handle Back-to-Back.](#)
- Max size: 926x2040mm

*please double check with retail outlet for size availability before purchasing ECLISSE System

**See field of application report for details



MODERN 7 PANEL WHITE PREFINISHED FIRE DOOR

- Suitable for use with Classic FD30 Single & Double Pocket Door Systems.
- White
- Sizes*: See [product](#) on Climadoor website
- Retail Outlets: www.climadoor.co.uk
- Approved Handle: [Firenze Pull Handle Back-to-Back.](#)
- Max size: 926x2040mm

*please double check with retail outlet for size availability before purchasing ECLISSE System

**See field of application report for details



MODERN 7 PANEL WHITE PREFINISHED FIRE DOOR

- Suitable for use with Classic FD30 Single & Double Pocket Door Systems.
- Oak
- Sizes*: See [product](#) on Climadoor website
- Retail Outlets: www.climadoor.co.uk
- Approved Handle: [Firenze Pull Handle Back-to-Back.](#)
- Max size: 926x2040mm

*please double check with retail outlet for size availability before purchasing ECLISSE System

**See field of application report for details



OAK VICTORIAN 4 PANEL SHAKER FIRE DOOR

- Suitable for use with Classic FD30 Single Pocket Door Systems.
- Oak
- Sizes*: See [product](#) on Climadoor website
- Retail Outlets: www.climadoor.co.uk
- Approved Handle: [Firenze Pull Handle Back-to-Back.](#)
- Max size: 838x2040mm

*please double check with retail outlet for size availability before purchasing ECLISSE System

**See field of application report for details



FD30 DOOR OPTIONS

CLIMADOOR DOORS RANGE

WHITE VICTORIAN 4 PANEL SHAKER PREFINISHED FIRE DOOR

- Suitable for use with Classic FD30 Single Pocket Door Systems.
- White
- Sizes*: See [product](#) on Climadoor website
- Retail Outlets: www.climadoor.co.uk
- Approved Handle: Firenze Pull Handle Back-to-Back.
- Max Size: 838x2040mm

*please double check with retail outlet for size availability before purchasing ECLISSE System

**See field of application report for details



WHITE DX30 DOOR

- Suitable for use with Classic FD30 Single Pocket Door Systems.
- White
- Sizes*: See [product](#) on Vibrant Doors website
- Retail Outlets: www.vibrantdoors.co.uk
- Approved Handle: [Firenze Pull Handle Back-to-Back.](#)
- Max Size: 838x2040mm

*please double check with retail outlet for size availability before purchasing ECLISSE System

**See field of application report for details



OAK DX30 DOOR

- Suitable for use with Classic FD30 Single Pocket Door Systems.
- Oak
- Sizes*: See [product](#) on Vibrant Doors website
- Retail Outlets: www.vibrantdoors.co.uk
- Approved Handle: [Firenze Pull Handle Back-to-Back.](#)
- Max Size: 838x2040mm

*please double check with retail outlet for size availability before purchasing ECLISSE System

**See field of application report for details



MODERN WHITE SHAKER 2 PANEL PREFINISHED FIRE DOOR

- Suitable for use with Classic FD30 Single Pocket Door Systems.
- White
- Sizes*: See [product](#) on Climadoor website
- Retail Outlets: www.climadoor.co.uk
- Approved Handle: [Firenze Pull Handle Back-to-Back.](#)
- Max Size: 838x2040mm

*please double check with retail outlet for size availability before purchasing ECLISSE System

**See field of application report for details



FD30 DOOR OPTIONS

CLIMADOOR DOORS RANGE

WHITE SHAKER 4 PANEL FIRE DOOR

- Suitable for use with Classic FD30 Single Pocket Door Systems.
- White
- Sizes*: See [product](#) on Climadoor website
- Retail Outlets: www.climadoor.co.uk
- Approved Handle: [Firenze Pull Handle Back-to-Back.](#)
- Max Size: 838x2040mm

*please double check with retail outlet for size availability before purchasing ECLISSE System

**See field of application report for details



OAK SHAKER 4 PANEL FIRE DOOR

- Suitable for use with Classic FD30 Single Pocket Door Systems.
- Oak
- Sizes*: See [product](#) on Climadoor website
- Retail Outlets: www.climadoor.co.uk
- Approved Handle: [Firenze Pull Handle Back-to-Back.](#)
- Max Size: 838x2040mm

*please double check with retail outlet for size availability before purchasing ECLISSE System

**See field of application report for details



HERITAGE BLACK 3 PANEL FIRE DOOR

- Suitable for use with Classic FD30 Single Pocket Door Systems.
- Black
- Sizes*: See [product](#) on Climadoor website
- Retail Outlets: www.climadoor.co.uk
- Approved Handle: [Firenze Pull Handle Back-to-Back.](#)
- Max Size: 838x2040mm

*please double check with retail outlet for size availability before purchasing ECLISSE System

**See field of application report for details



GRANGE 2 PANEL WHITE PREFINISHED FIRE DOOR

- Suitable for use with Classic FD30 Single Pocket Door Systems.
- White
- Sizes*: See [product](#) on Climadoor website
- Retail Outlets: www.climadoor.co.uk
- Approved Handle: [Firenze Pull Handle Back-to-Back.](#)
- Max Size: 838x2040mm

*please double check with retail outlet for size availability before purchasing ECLISSE System

**See field of application report for details



FD30 DOOR OPTIONS

CLIMADOOR DOORS RANGE

TRADITIONAL VICTORIAN OAK 4 PANEL FIRE DOOR

- Suitable for use with Classic FD30 Single Pocket Door Systems.
- Oak
- Sizes*: See [product](#) on Climadoor website
- Retail Outlets: www.climadoor.co.uk
- Approved Handle: [Firenze Pull Handle Back-to-Back.](#)
- Max Size: 838x2040mm

*please double check with retail outlet for size availability before purchasing ECLISSE System

**See field of application report for details



FD30 DOOR OPTIONS

EMERALD DOORS RANGE

EMERALDS DOORS WITH GLAZING AS PER REVISION G

BESPOKE FD30 DOOR LEAVES

- Suitable for use with Classic FD30 Single & Double Pocket Door Systems.
- Emerald bespoke FD30 door leaves as per Revision G.
- Approved Handle: Firenze Pull Handle Back-to-Back
- *Glazed door options are available. Please check specific door model to confirm whether glazing is permitted. Refer to KIWA Field of Application PAR/10057/01 Rev G for permitted glazing types and sizes.
- Max Size as per Figure B01 and B02 in KIWA Field of Application PAR/10057/01

*please double check with retail outlet for size availability before purchasing ECLISSE System

**See field of application report for details

EMERALD
DOORS

FD30 DOOR OPTIONS

MBP BESPOKE FIRE DOORS

MBP DOOR SOLUTIONS FC44

MBP BESPOKE FIRE DOORS WITH AND WITHOUT GLAZING

- Suitable for use with Classic FD30 Single Pocket Door Systems.
- MBP bespoke FD30 door leaves as per Revision G.
- Approved Handle: Firenze Pull Handle Back-to-Back
- *Glazed door options are available. Please check specific door model to confirm whether glazing is permitted. Refer to KIWA Field of Application PAR/10057/01 Rev G for permitted glazing types and sizes.
- Max Size as per Figure B01 in KIWA Field of Application PAR/10057/01

*please double check with retail outlet for size availability before purchasing ECLISSE System

**See field of application report for details

MBP
Door Solutions